


# Setup Guide for Wi-Fi Direct

## 1. Preparation

Please check Wi-Fi function is ON before setting up direct connection.



## 2. Setup procedure

MFP

POWER SAVE  
02 Jan. 0:42

COPIES:01  
COPY:PRESS START

Mobile device

Follow the procedure in below by confirming each LCD message.



WIRELESS LAN SET  
OR PRESS OK

WIRELESS LAN SET  
PRESS [▶]

(Continue to next page.)

Tap this icon



(Continue to next page.)

MFP

Mobile device

2 Press 

Wi-Fi Direct SET  
OR PRESS OK


Wi-Fi Direct SET  
PRESS [▶]

3 Press 

START CONNECT  
ON P2P DEVICE

SSID [▼▲]  
DIRECT-MB311-23C


(Continue to next page.)



MFP

Mobile device

#### 4 Select desired model and tap Connect button



(Continue to next page.)

MFP



WPS LED is turned ON when MFP is connected.

CONNECTED




COPIES:01  
COPY:PRESS START



When WPS LED is turned OFF, re-connect it again.  
(Refer from page 1.)

Mobile device



**5 Tap Disconnect button after printing.**

If you forget to disconnect, it is automatically disconnected.  
You can change Auto-disconnection timer.  
(Refer to Q&A in this web site.)